


외형도

▶ 외형치수 (표준형)




단위는 mm


CASE 분류	적용 MODEL(용량 HP)						가로	세로	높이	가로 부착	세로 부착	취부홀 ϕ
							A	B	C	D	E	F
	AC220V(kW)		AC380V(kW)		AC440V(kW)		버스바 간격	버스바 가로최대 길이	버스바 HOLE 세로간격	버스바 세로최대 길이	R,S,T쪽 버스바 높이	U,V,W쪽 버스바 높이
	MODEL	HP	MODEL	HP	MODEL	HP	G	H	I	J	K	L
UD-1500	FCC-202	3	FCC-303	5	FCC-403	5	263	379	246	205	364	9
	FCC-205	7	FCC-305	7	FCC-405	7						
	FCC-207	10	FCC-307	10	FCC-407	10						
	FCC-211	15	FCC-311	15	FCC-411	15						
			FCC-315	20	FCC-415	20						
UD-2700			FCC-322	30	FCC-422	30	277	444	281	205	429	9
	FCC-215	20	FCC-330	40	FCC-430	40						
	FCC-222	30	FCC-337	50	FCC-437	50						
UD-4000	FCC-230	40	FCC-356	75	FCC-456	75	344	543	278	264	526	9
	FCC-237	50	FCC-375	100	FCC-475	100						
	FCC-256	75	FCC-3112	150	FCC-4112	150						
	FCC-275	100	FCC-3150	200	FCC-4150	200						
UD-4700	FCC-2112	150	FCC-3195	260	FCC-4195	260	365	700	316	284	683	9
UD-4800							115	270	616	656	107	206
	FCC-2150	200	FCC-3240	320	FCC-4240	320	451	732	375	351	716	12
UD-6000							140	320	634	674	163	228
	FCC-2187	250	FCC-3300	400	FCC-4300	400	546	1210	420	446	1186	12
	FCC-2200	260	FCC-3375	500	FCC-4375	500						
			FCC-3400	530	FCC-4400	530	178	416	1300	1340	127	204
			FCC-3500	670	FCC-4500	670						
UD-7000							600	1450	481	492	1420	16
			FCC-3600	800	FCC-4600	800	190	455	1305	1345	155	239

※ 제품의 품질향상을 위하여 외형치수가 예고 없이 변경될 수 있으니 주문 시 문의 바랍니다.(홈페이지 참조)


FCC-403,405,407,411,415,422




FCC-430,437




FCC-456,475,4112,4150




FCC-4195



FCC-4240



FCC-4300, 4375, 4400, 4500



FCC-4600

